

Colored K-88

Material Safety Data Sheet
Effective Date 6/98

SECTION 1 Hazardous Ingredients

OSHA ingredient permissible exposure limit: None

ACGIH ingredient TLV-TWA: None

Tinted aqueous acrylic emulsion.

SECTION 2 Physical Data

pH	Approx. 9.5 - 10
Flash point	>200°F Seta cc
Vapor Pressure	17 mm Hg @20°C
Viscosity	50 cps maximum (ambient)
Evaporation rate	<1 (Ether=1)
Physical State	Tinted opaque liquid
Odor	Ammoniacal
Sp. Gr.	1.1
% solubility (water)	Infinite

SECTION 3 Reactivity Data

Thermal decomposition yields oxides of C, N, and Halogens if present.

SECTION 4 Health Hazard Effects

Acute Skin Effects	Irritating to skin upon repeated or prolonged contact.
Eye Effects	Slightly irritating to the eyes.
Respiratory Effects	Vapor of mist can cause headache, nausea, and irritation of the nose, throat and lungs.

SECTION 5 First Aid Instructions

Skin Contact	Remove contaminated clothing. Wash exposed area with a large quantity of soap solution or water for at least 15 minutes.
Eye Contact	Immediately flush with water for at least 15 minutes. Contact a physician immediately for additional treatment.
Inhalation Exposure	Remove victim from contaminated area to fresh air. Apply appropriate first aid treatment as necessary.
Ingestion	Do not feed anything by mouth to unconscious or convulsive victim.

Colored K-88

SECTION 6 Spill, Disposal and Fire Instructions

Spill Instructions	Contain and absorb on absorbent material. Place in waste disposal container. The waste characteristics of the absorbed material or any contaminated soil should be determined in accordance with RCRA regulations. Dike any contain spill with inert material such as sand and earth. Spill area may be slippery; use caution.
Disposal Instructions	Water Contaminated with this product may be sent to a sanitary sewer in accordance with any local agreement, a treatment facility, or discharged under a NPDES permit. Bury it in approved landfill.
Fire Extinguishing Instructions	Firefighters should wear positive pressure, self-contained breathing apparatus (full face piece type). Extinguishing media may be dry chemical, carbon dioxide, foam or water may create slippery condition; spread sand or grit.

SECTION 7 Special Protective Equipment

Ventilation Protection Recommended	Adequate ventilation.
Respiratory Protection	If ventilation is inadequate or significant product exposure is likely, use a respirator with dust/mist/fume cartridges.
Recommended Skin Protection	Rubber gloves
Recommended Eye Protection	Splash proof chemical goggles.

SECTION 8 Storage and Handling Precautions

Storage Instructions	Keep container closed. Store at temperature between 34°F and 140°F
Handling Instructions	Normal chemical handling.

SECTION 9 Federal Regulations

FIFRA (40 CFR) –EPA Reg. No. Not applicable.
OSHA (29 CFR Sec. 1910) – Safety and Health Standards-See Section 1.
FDA (21 CFR) Ingredients authorized under – None.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

conproco[®]
CORPORATION

17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com