

Conpro Flex

Material Safety Data Sheet
Effective Date 1/85

HMIS Ratings
Health-1
Flammability-0
Reactivity-0
Personal Protection-X

SECTION 1 Hazardous Ingredients

OSHA ingredient permissible exposure limit: None

ACGIH ingredient TLV-TWA: 12.5 mg/m³

The 1974 NIOSH Criteria for a recommended Standard for Occupational Exposure to Crystalline Silica should be consulted for more detailed information.

Note: The Permissible Exposure Limits (PEL) reported above are the pre-1989 limits that were reinstated by OSHA June 30, 1993 following a decision by the 11th Circuit Court of Appeals. These PEL's are now being enforced by Federal OSHA. Be aware that more restrictive exposure limits may be enforced by some states, agencies, or other authorities.

SECTION 2 Physical Data

pH	Approx. 9.5
Flash point	>200°F Seta cc
Vapor Pressure	NA
Viscosity	Approx. 80,000cps
Evaporation rate	<1(Ether= 1)
Physical State	Opaque thixatrophic liquid
Odor	Mild ammoniacal
Sp. Gr.	Approx. 1.33
% solubility (water)	10%

SECTION 3 Reactivity Data

Thermal decomposition yields oxides of C, N, Ca, S, T, Fe, Zn, and Halogens.

SECTION 4 Health Hazard Effects

Skin Effects	Possible Irritation if allergic.
Eye Effects	Damaging to the eyes.
Respiratory Effects	May cause irritation to upper respiratory tract.

SECTION 5 First Aid Instructions

Skin Contact	Remove contaminated clothing. Wash exposed area with a large quantity of soap solution or water for at least 15 minutes.
Eye Contact	Immediately flush with water for at least 15 minutes. Contact a physician immediately for additional treatment.
Inhalation Exposure	Remove victim from contaminated area to fresh air. Apply appropriate first aid treatment as necessary.
Ingestion	Do not feed anything by mouth to unconscious or convulsive victim. Dilute contents of stomach. Contact physician immediately.

Conpro Flex

SECTION 6 Spill, Disposal and Fire Instructions

Spill Instructions	Contain and absorb on absorbent material. Place in waste disposal container. The waste characteristics of the absorbed materials, or any contaminated solid, should be determined in accordance with RCRA regulations. Flush area with water. Wet area may be slippery, if so, spread sand or grit.
Disposal Instructions	Water contaminated with this product may be sent to a sanitary sewer in accordance with any Local agreement, a treatment facility, or discharged under a NPDES permit.
Fire Extinguishing Instructions	Firefighters should wear positive pressure, self-contained breathing apparatus (full face piece Type). Extinguishing media may be dry chemical, carbon dioxide, foam or water. Foam or Water may create slippery condition; spread sand or grit.

SECTION 7 Special Protective Equipment

Ventilation Equipment Recommended	Adequate ventilation. If ventilation is inadequate or significant product exposure is likely, use a respirator with dust/mist/fume cartridges.
Respiratory Protection Recommended	Rubber gloves and full coveralls
Skin Protection Recommended	Splash proof chemical goggles.
Eye Protection	

SECTION 8 Storage and Handling Precautions

Storage Instructions	Keep Container closed. Protect from freezing.
Handling Instructions	Normal chemical handling.

SECTION 9 Federal Regulations

FIFRA (40 CFR) –EPA Reg. No. Not applicable.
OSHA (29 CFR Sec. 1910) – Safety and Health Standards.
FDA (21 CFR) Ingredients authorized under – None.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

conproco[®]
CORPORATION

17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com